



Flower	Analysis ID: A6030-1	Customer
Product description: /	Method id: GC-FID full spectrum_v1.0	Coffeeshop Animo
Batch number: White Zlushi Cali	Date of aquisition: 2023-09-15	
Sample type: biomass	Date of processing: 2023-09-16	
SFP id: V5425	Date of approval: /	
Sample received date: 2023-09-15	Remarks: /	
Remarks: /		



Total THC %	22.39
Total CBD %	0.07
Total CBG %	0.30
Total cannabinoids %	23.13
Total terpenes %	1.30

## Effects Hexagon



## Cannabinoids

Short	Substance name	Assay	Unit	M.U.
CBDV	Cannabidivarin	ND	w/w %	ND
THCV	Tetrahydrocannabivarin	0.09	w/w %	0.04
CBL	Cannabicyclol	ND	w/w %	ND
CBD	Cannabidiol	0.07	w/w %	0.03
CBC	Cannabichromene	0.23	w/w %	0.07
iso-THC	$\Delta$ 8-iso-Tetrahydrocannabinol	ND	w/w %	ND
RT14.42	RT_14.42 M=330	ND	w/w %	ND
RT14.31	RT_14.31_M_314	ND	w/w %	ND
CBE	Cannabielsoin	ND	w/w %	ND
$\Delta$ 8-THC	$\Delta$ 8-tetrahydrocannabinol	ND	w/w %	ND
$\Delta$ 9-THC	$\Delta$ 9-tetrahydrocannabinol	22.39	w/w %	2.91
CBG	Cannabigerol	0.30	w/w %	0.09
CBN	Cannabinol	0.04	w/w %	0.02

Method of Analysis: GC-FID (Gas Chromatography with Flame Ionization Detection). The determined measurement uncertainty (M. U.) is always given in the same unit as specified result. LOQ = Values below quantification limit of 0.02 % (respectively 200 mg/kg). ND = Not Detected - below detection limit (lower than 0.01 % respectively 100 mg/kg).

## Main terpenes

Short	Substance name	Assay	Unit	M.U.
APINE	alpha-Pinene	0.03	w/w %	0.01
CAMP	Camphene	ND	w/w %	ND
SABI	Sabinen	ND	w/w %	ND
BPINE	beta-Pinene	0.05	w/w %	0.02
MYRC	Myrcene	0.26	w/w %	0.08
PHELA	alpha-Phellandrene	ND	w/w %	ND
LIMON	D-Limonene	0.31	w/w %	0.09
EUCA	Eucalyptol	ND	w/w %	ND
BOCIM	beta-Ocimene	ND	w/w %	ND
GTERP	gamma-Terpinene	ND	w/w %	ND
TERPI	Terpinolene	ND	w/w %	ND
LINAL	Linalool	0.37	w/w %	0.11
BORN	Borneol	ND	w/w %	ND
ATERP	alpha-Terpineol	0.07	w/w %	0.03
GERA	Geraniol	ND	w/w %	ND
EUGEN	Eugenol	ND	w/w %	ND
BCARY	beta-Caryophyllene	0.13	w/w %	0.05
HUMU	alpha-Humulene	0.04	w/w %	0.02
VALEN	Valencene	ND	w/w %	ND
CAROO	Caryophyllene oxide	ND	w/w %	ND

Method of Analysis: GC-FID (Gas Chromatography with Flame Ionization Detection). The determined measurement uncertainty (M. U.) is always given in the same unit as specified result. LOQ = Values below quantification limit of 0.02 % (respectively 200 mg/kg). ND = Not Detected - below detection limit (lower than 0.01 % respectively 100 mg/kg).

## Other Terpenes assay results

Short	Substance name	Assay	Unit	M.U.
TEROL	$\gamma$ -Terpineol	ND	w/w %	ND
ZBOC	(Z)-beta-Ocimene	ND	w/w %	ND
CITRN	Citronellal	ND	w/w %	ND
CAMPH	Camphor	ND	w/w %	ND
MENTH	Menthone	ND	w/w %	ND
CITOL	Citronellol	ND	w/w %	ND
NEROL	Nerol	ND	w/w %	ND
PULEG	Pulegone	ND	w/w %	ND
DCARV	d-Carvone	ND	w/w %	ND
CNER	cis-Nerolidol	ND	w/w %	ND
TNER	trans-Nerolidol	0.04	w/w %	0.01
GUAOL	Guaiol	ND	w/w %	ND
LEVO	alpha-Bisabolol	ND	w/w %	ND

Method of Analysis: GC-FID (Gas Chromatography with Flame Ionization Detection). The determined measurement uncertainty (M. U.) is always given in the same unit as specified result. LOQ = Values below quantification limit of 0.02 % (respectively 200 mg/kg). ND = Not Detected - below detection limit (lower than 0.01 % respectively 100 mg/kg).

This certificate was autogenerated after approval.

