



Hash **Analysis ID: A6032-1** **Customer**

Product description: /	Method id: GC-FID full spectrum_v1.0	Coffeeshop Animo
Batch number: Frozen dry sift	Date of aquisition: 2023-09-15	
Sample type: biomass	Date of processing: 2023-09-16	
SFP id: V5427	Date of approval: /	
Sample received date: 2023-09-15	Remarks: /	
Remarks: /		



Total THC %	44.26
Total CBD %	0.49
Total CBG %	2.17
Total cannabinoids %	48.50
Total terpenes %	2.38

Effects Hexagon



Cannabinoids

Short	Substance name	Assay	Unit	M.U.
CBDV	Cannabidivarin	ND	w/w %	ND
THCV	Tetrahydrocannabivarin	0.40	w/w %	0.12
CBL	Cannabicyclol	ND	w/w %	ND
CBD	Cannabidiol	0.49	w/w %	0.15
CBC	Cannabichromene	0.84	w/w %	0.13
iso-THC	$\Delta 8$ -iso-Tetrahydrocannabinol	ND	w/w %	ND
RT14.42	RT_14.42 M=330	ND	w/w %	ND
RT14.31	RT_14.31_M_314	ND	w/w %	ND
CBE	Cannabielsoin	ND	w/w %	ND
$\Delta 8$ -THC	$\Delta 8$ -tetrahydrocannabinol	ND	w/w %	ND
$\Delta 9$ -THC	$\Delta 9$ -tetrahydrocannabinol	44.26	w/w %	5.75
CBG	Cannabigerol	2.17	w/w %	0.33
CBN	Cannabinol	0.33	w/w %	0.10

Method of Analysis: GC-FID (Gas Chromatography with Flame Ionization Detection). The determined measurement uncertainty (M. U.) is always given in the same unit as specified result. LOQ = Values below quantification limit of 0.02 % (respectively 200 mg/kg). ND = Not Detected - below detection limit (lower than 0.01 % respectively 100 mg/kg).

Main terpenes

Short	Substance name	Assay	Unit	M.U.
APINE	alpha-Pinene	0.11	w/w %	0.04
CAMP	Camphene	ND	w/w %	ND
SABI	Sabinen	ND	w/w %	ND
BPINE	beta-Pinene	0.10	w/w %	0.04
MYRC	Myrcene	0.11	w/w %	0.05
PHELA	alpha-Phellandrene	ND	w/w %	ND
LIMON	D-Limonene	0.26	w/w %	0.08
EUCA	Eucalyptol	ND	w/w %	ND
BOCIM	beta-Ocimene	ND	w/w %	ND
GTERP	gamma-Terpinene	ND	w/w %	ND
TERPI	Terpinolene	ND	w/w %	ND
LINAL	Linalool	0.10	w/w %	0.04
BORN	Borneol	ND	w/w %	ND
ATERP	alpha-Terpineol	0.07	w/w %	0.03
GERA	Geraniol	ND	w/w %	ND
EUGEN	Eugenol	ND	w/w %	ND
BCARY	beta-Caryophyllene	0.82	w/w %	0.12
HUMU	alpha-Humulene	0.30	w/w %	0.09
VALEN	Valencene	ND	w/w %	ND
CAROO	Caryophyllene oxide	0.12	w/w %	0.05

Method of Analysis: GC-FID (Gas Chromatography with Flame Ionization Detection). The determined measurement uncertainty (M. U.) is always given in the same unit as specified result. LOQ = Values below quantification limit of 0.02 % (respectively 200 mg/kg). ND = Not Detected - below detection limit (lower than 0.01 % respectively 100 mg/kg).

Other Terpenes assay results

Short	Substance name	Assay	Unit	M.U.
TEROL	γ -Terpineol	ND	w/w %	ND
ZBOC	(Z)-beta-Ocimene	ND	w/w %	ND
CITRN	Citronellal	ND	w/w %	ND
CAMPH	Camphor	ND	w/w %	ND
MENTH	Menthone	ND	w/w %	ND
CITOL	Citronellol	ND	w/w %	ND
NEROL	Nerol	ND	w/w %	ND
PULEG	Pulegone	ND	w/w %	ND
DCARV	d-Carvone	ND	w/w %	ND
CNER	cis-Nerolidol	ND	w/w %	ND
TNER	trans-Nerolidol	ND	w/w %	ND
GUAOL	Guaiol	0.22	w/w %	0.07
LEVO	alpha-Bisabolol	0.17	w/w %	0.07

Method of Analysis: GC-FID (Gas Chromatography with Flame Ionization Detection). The determined measurement uncertainty (M. U.) is always given in the same unit as specified result. LOQ = Values below quantification limit of 0.02 % (respectively 200 mg/kg). ND = Not Detected - below detection limit (lower than 0.01 % respectively 100 mg/kg).

This certificate was autogenerated after approval.

