

Sample

Analysis ID: A5064-1



Customer

Product description: /	Method id: GC-FID full spectrum_v1.0	Club Animo
Batch number: CG-AC Oreo Cake USA	Date of aquisition: 2023-05-16	Vest 18
Sample type: biomass	Date of processing: 2023-05-17	2801 VE Gouda
SFP id: V4678	Date of approval: /	
Sample received date: 2023-05-16	Remarks: /	
Remarks: /		



Total THC %	18.11
Total CBD %	0.08
Total CBG %	0.77
Total cannabinoids %	20.54
Total terpenes %	1.37

Effects Hexagon



Cannabinoids

Short	Substance name	Assay	Unit	M.U.
CBDV	Cannabidivarin	ND	w/w %	ND
RT13.14	RT_13.14 M=314	ND	w/w %	ND
THCV	Tetrahydrocannabivarin	0.93	w/w %	0.14
CBL	Cannabicyclol	ND	w/w %	ND
CBD	Cannabidiol	0.08	w/w %	0.03
CBC	Cannabichromene	0.39	w/w %	0.12
iso-THC	Δ 8-iso-Tetrahydrocannabinol	ND	w/w %	ND
RT14.42	RT_14.42 M=330	ND	w/w %	ND
RT14.31	RT_14.31_M_314	ND	w/w %	ND
CBE	Cannabielsoin	0.20	w/w %	0.08
Δ 8-THC	Δ 8-tetrahydrocannabinol	ND	w/w %	ND
Δ 9-THC	Δ 9-tetrahydrocannabinol	18.11	w/w %	2.35
CBG	Cannabigerol	0.77	w/w %	0.12
CBN	Cannabinol	0.05	w/w %	0.02
RT15.42	RT_15.42 M=332	ND	w/w %	ND
RT16.05	RT_16.05 M=348	ND	w/w %	ND

Method of Analysis: GC-FID (Gas Chromatography with Flame Ionization Detection). The determined measurement uncertainty (M. U.) is always given in the same unit as specified result. LOQ = Values below quantification limit of 0.02 % (respectively 200 mg/kg). ND = Not Detected - below detection limit (lower than 0.01 % respectively 100 mg/kg).

Main terpenes

Short	Substance name	Assay	Unit	M.U.
APINE	alpha-Pinene	0.03	w/w %	0.01
CAMP	Camphene	<LOQ	w/w %	ND
SABI	Sabinen	ND	w/w %	ND
BPINE	beta-Pinene	0.03	w/w %	0.01
MYRC	Myrcene	0.12	w/w %	0.05
PHELA	alpha-Phellandrene	ND	w/w %	ND
LIMON	D-Limonene	0.45	w/w %	0.13
EUCA	Eucalyptol	ND	w/w %	ND
GTERP	gamma-Terpinene	ND	w/w %	ND
TERPI	Terpinolene	<LOQ	w/w %	ND
LINAL	Linalool	0.26	w/w %	0.08
BOCIM	beta-Ocimene	ND	w/w %	ND
BORN	Borneol	<LOQ	w/w %	ND
ATERP	alpha-Terpineol	<LOQ	w/w %	ND
GERA	Geraniol	ND	w/w %	ND
EUGEN	Eugenol	ND	w/w %	ND
BCARY	beta-Caryophyllene	0.28	w/w %	0.09
HUMU	alpha-Humulene	0.09	w/w %	0.03
VALEN	Valencene	ND	w/w %	ND
CAROO	Caryophyllene oxide	<LOQ	w/w %	ND

Method of Analysis: GC-FID (Gas Chromatography with Flame Ionization Detection). The determined measurement uncertainty (M. U.) is always given in the same unit as specified result. LOQ = Values below quantification limit of 0.02 % (respectively 200 mg/kg). ND = Not Detected - below detection limit (lower than 0.01 % respectively 100 mg/kg).

Other Terpenes assay results

Short	Substance name	Assay	Unit	M.U.
ZBOC	(Z)-beta-Ocimene	ND	w/w %	ND
CAMPH	Camphor	ND	w/w %	ND
CITRN	Citronellal	ND	w/w %	ND
MENTH	Menthone	ND	w/w %	ND
TEROL	γ -Terpineol	ND	w/w %	ND
CITOL	Citronellol	ND	w/w %	ND
NEROL	Nerol	ND	w/w %	ND
PULEG	Pulegone	ND	w/w %	ND
DCARV	d-Carvone	ND	w/w %	ND
CNER	cis-Nerolidol	ND	w/w %	ND
TNER	trans-Nerolidol	ND	w/w %	ND
GUAOL	Guaiol	0.05	w/w %	0.02
LEVO	alpha-Bisabolol	ND	w/w %	ND

Method of Analysis: GC-FID (Gas Chromatography with Flame Ionization Detection). The determined measurement uncertainty (M. U.) is always given in the same unit as specified result. LOQ = Values below quantification limit of 0.02 % (respectively 200 mg/kg). ND = Not Detected - below detection limit (lower than 0.01 % respectively 100 mg/kg).

This certificate was autogenerated after approval.

